Teen Addiction Severity Index (T-ASI)

BRIEF DESCRIPTION	The T-ASI is a semi-structured interview that was developed to fill the need for a reliable, valid, and standardized instrument for a periodic evaluation of adolescent substance abuse. The T-ASI uses a multidimensional approach of assessment as an age-appropriate modification of the Addiction Severity Index. It yields 70 ratings in seven domains: chemical (substance) use, school status, employment/support status, family relations, peer/social relationships, legal status, and psychiatric status.
TARGET POPULATION	☐ Adults
	⊠ Adolescents
	Groups for which this instrument might be especially helpful?
	Adolescents with psychoactive substance use disorder, adolescents with psychiatric disorders and comorbid psychoactive substance use disorders
ADMINISTRATIVE ISSUES	Number of items: 154
	Number of subscales: 7
	Format(s): Pencil and-paper self-administered
	⊠ Interview
	☐ Observation
	\square Computer self-administered
	☐ Other
	Time required for administration: 20 to 45 minutes
	Administered by: Trained technician or mental health professional
	Training required for administration? \boxtimes yes \square no
SCORING	Time required to score/interpret: 10 minutes maximum
	Scored by: Rater
	Computerized scoring or interpretation available? \square yes \boxtimes no
	Norms available? \square yes \boxtimes no
	Instrument normed on subgroups? \square yes \boxtimes no
	Comments: Scoring is based on training norm. Interrater agreement should
	be 90 percent. Our clinical experience during the last 5 years has confirmed this decision.

PSYCHOMETRICS	Have reliability studies been done? \boxtimes yes \square no
	What measure(s) of reliability was used?
	☐ Split half
	☐ Internal consistency
	Have validity studies been done? \boxtimes yes \square no
	What measures of validity have been derived?
	☐ Criterion (predictive, concurrent, "postdictive")
	⊠ Construct
CLINICAL UTILITY OF INSTRUMENT	Has been found to be good; interrater reliability has been R=.78.
RESEARCH APPLICABILITY	The T-ASI may be utilized periodically to assess changes in the severity ratings of its domains in response to treatment.
SOURCE, COST AND COPYRIGHT ISSUES	Copyright: ☐ yes ⊠ no
	Cost: None
	Source: Yifrah Kaminer, M.D.
	University of Connecticut Health Center
	263 Farmington Avenue Farmington, CT 06030-2103
SOURCE REFERENCE	Kaminer, Y., Burkstein, O.G. & Tarter, R.E. (1991). The Teen Addiction Severity
· · · · · · · · · · · · · · · · · · ·	Index: Rationale and reliability. <i>The International Journal of the Addictions</i> , 26, 219-226.
SUPPORTING REFERENCES	Kaminer, Y., Blitz, C., Burleson, J.A., Kadden, R.M. & Rounsaville, B.J. (1998).
	Measuring treatment process in cognitive-behavioral and interactional group therapies for adolescent substance abusers. <i>Journal of Nervous and Mental Disease</i> , 186, 407-413.
	Kaminer, Y., Wagner, E., Plumer, B. & Seifer, R. (1993). Validation of the teen addiction severity index (T-ASI): Preliminary findings. <i>American Journal on Addictions</i> , 2(3), 250-254.